Fujitsu recommends Windows.



Data Sheet FUJITSU Tablet STYLISTIC Q775

Most Secure Professional Tablet

The FUJITSU Tablet STYLISTIC Q775 is the perfect companion for professionals who require ultimate security and a large screen span. Its 33.8 cm (13.3-inch) Full HD anti-glare display supports pen and touch input, while the optional palm vein sensor combined with PalmSecure™ technology provides an unrivaled security level. Everywhere connectivity is ensured with embedded 4G/LTE, GPS and NFC. A cradle shared with other STYLISTIC models enables best-in-class comfort in the office.

Intuitive 2 in 1 design

Easily switch between tablet and notebook use

■ Attachable keyboard

Paramount security

Keep your most valuable asset safe - your data

■ Optional palm vein sensor for PalmSecure™ technology, TPM, optionally embedded fingerprint sensor or Smartcard reader

Convenient content viewing

Enjoy a large screen span to perfectly view all your content, even tables and spread sheets

33.8 cm (13.3-inch) Full HD anti-glare display with touch and pen input, supporting audit-proof signature

Enterprise connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

Optionally integrated 4G/LTE, Wi-Fi, Bluetooth, GPS and Near Field Communication (NFC)

Adaptable design

Broad range of accessories lets you build your individual 2 in 1

 Optionally available hand strap, shoulder strap, VESA mount, attachable keyboard, shared common cradle with other STYLISTIC models.













Components

Processor	Intel® Core™ i5-5200U processor (2.1 GHz, up to 2.7 GHz, 3 MB) *
	Intel® Core™ i7-5600U processor (2.6 GHz, up to 3.2 GHz, 4 MB)
	Intel® Core™ i5-5300U processor (2.3 GHz, up to 2.9 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
Operating systems	
Operating system	Windows 8.1
Operating system compatible	Windows 7
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 128 GB, M.2 module, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery
	Internal HDD interface: S-ATA III (6GBit/s)
Interface add on cards/components	
(optional)	
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
	NFC
	LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0
	Import and usage according to country-specific regulations.
	Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0
	Import and usage according to country-specific regulations.
Display	33.8 cm (13.3-inch), LED backlight, (Full HD), Glare with dual digitizer, magnesium, $1,920 \times 1,080$ pixel, $1,000:1,350$ cd/m ²
	33.8 cm (13.3-inch), IPS dual digitizer, (Full HD), Glare with dual digitizer, magnesium, 1,920 \times 1,080 pixel, 1,000:1, 350 cd/m ²
Multimedia	
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Base unit

Base unit	STYLISTIC Q775
General system information	
Chipset	Integrated in CPU
Chipset notes	Supports iAMT 10.0 Intel® vPro™ requires Core i5-53xx & i7-56xx CPU, Intel WLAN 7265 ac, TPM module
Memory slots	LPDDR3 (1600 MHz)
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	8 GB
LAN	Built-in 10/100/1,000 MBit/s Intel® 218LM
BIOS features	BIOS based on Phoenix SecureCore
Audio type	On board
Audio codec	Realtek ALC283

General system information	
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
S26391-K407-V100 STYLISTIC Q775	
Display	33.8 cm (13.3-inch), IPS, (Full HD), Glossy or anti-glare display, 1,920 x 1,080 pixel, 1000:1, 330 cd/m ²
Display notes	ISO 9241-307 - Pixel class II Viewing angle: Left/Right 89°, Top 89°, Bottom 89°; 25ms response time; Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass
Aspect ratio	16:9
Brightness - typical	330 cd/m ²
Contrast - typical	1000:1
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°
Graphics	
Base unit	STYLISTIC Q775
TFT resolution (HDMI)	up to 4,096 × 2,160
TFT resolution (VGA)	1,920 x 1,080 pixel
Graphics brand name	Intel® HD Graphics 5500
Graphics features	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	1 (digital)
USB 2.0 total	1
USB 3.0 total	1
VGA	1 (via optional cradle or optional USB conversion cable)
НДМІ	1 micro HDMI
Ethernet (RJ-45)	1 (via optional cradle or optional USB adapter cable)
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB
SmartCard slot	1 (optional)
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)
Cradle (Charging or Functional)	
DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 2.0 total	3 (if used with STYLISTIC Q555)
USB 3.0 total	3 (if used with STYLISTIC Q775/Q665)
DisplayPort	1
VGA	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.
Wireless technologies	
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN
Bluetooth	Bluetooth 4.0 LE

Page 3 / 7

Wireless technologies	Import and usage according to country specific regulations
WLAN notes	Import and usage according to country-specific regulations.
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
NFC	optional
Power supply	
AC adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium Polymer battery 3-cell, 46 Wh
Runtime 1st battery	Up to 16:51 h / 20:34 h (Productivity Workload MobileMark® 2014 / Readers Mode MobileMark® 2007)
Runtime 1st + 2nd battery	Up to 24:50 h / 28:44 h (Productivity Workload MobileMark® 2014/ Readers Mode MobileMark® 2007)
Battery charging time	~ 120 min.
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2007 (readers mode) and BAPCo® MobileMark® 2012 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product mode configuration, application and power management settings. The battery capacity decreases slightly with every recharge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	317 x 12.7 mm (Standard Shell) / 15.8 mm (SmartCard Shell) x 208 mm
omensions (WADAII)	12.45 x 0.49 x 8.19 inch
Weight	from 0.990 kg
Weight (lbs)	from 2.18 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C
Operating ambient temperature Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Compliance	Raining. 20 05%, Facked 0 05% (leadifie findingly, non-condensing)
Product	STYLISTIC Q775
	GS (only for Premium anti-glare touchscreen display)
Germany	CE!
Europe	EN 60950
Global	IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (Driver and Utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®

Page 4 / 7 www.fujitsu.com/fts/tabletpc

Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Computrace® ready BIOS Advanced Theft Protection (Computrace® only) Optional: Trusted platform module (TPM 1.2) EraseDisk (optional)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (optional) SystemLock BIOS SmartCard security Embedded palm vein sensor (optional)
Warranty	
Warranty period	2 years (depending on country)
Warrenty type	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions Product Support Services - the per	http://support.ts.fujitsu.com/warranty rfect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
c p	

Recommended Accessories

Cradle STYLISTIC Q555 / Q665 / Q775

Spare Parts availability

Service Weblink



3 years (depending on country)

htttp://ts.fujitsu.com/Supportservice

Boosted efficiency, desktop experience, flexibility, expandability - these are only some of the benefits of the cradle for the STYLISTIC Q555, Q665 or S26391-F1417-L100 Q775.

Order Code:

The Fujitsu Shoulder Strap is the perfect addition to your STYLISTIC Q555, Q665, Q775, Q704 and Q584 SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC Q584 for illustration only.)	Order Code: S26391-F1193-L13
The VESA Mounting Plate for the STYLISTIC Q555 or Q775 is used to easily and securely attach the rear of the STYLISTIC Q555 / Q775 to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q555 / Q775 using the four threaded inserts on the rear of the system. (Works exclusively with SmartCard Shells of STYLISTIC Q555 and Q775. Picture shows different STYLISTIC model and plate color for illustration purposes only.)	Order Code: S26391-F1419-L900
The Fujitsu Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand. (Picture shows a different STYLISTIC model for illustration only.)	Order Code: S26391-F1419-L930
The Fujitsu USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)	Order Code: S26391-F1418-L810
The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F1418-L840
For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. Upgrade your notebook or PC with this external drive and use it wherever you are.	Order Code: S26341-F103-L135
Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's slim keyboard for the STYLISTIC Q775.	S26391-F1289-L2xx** (**country specific version)
	Q665, Q775, Q704 and Q584 SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC Q584 for illustration only.) The VESA Mounting Plate for the STYLISTIC Q555 or Q775 is used to easily and securely attach the rear of the STYLISTIC Q555 / Q775 to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q555 / Q775 using the four threaded inserts on the rear of the system. (Works exclusively with SmartCard Shells of STYLISTIC Q555 and Q775. Picture shows different STYLISTIC model and plate color for illustration purposes only.) The Fujitsu Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand. (Picture shows a different STYLISTIC model for illustration only.) The Fujitsu USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product) The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Keyboard Docking for STYLISTIC Q775 (with battery)



Flexibility, enhanced battery runtime, expandability, desktop replacement, S26391-F1289-L3xx** investment protection – to name just a few benefits of Fujitsu's keyboard for (**country specific version) the STYLISTIC Q775.

Page 6 / 7 www.fujitsu.com/fts/tabletpc

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU STYLISTIC Q775, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU STYLISTIC Q775, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2015 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2015-09-03 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2015 Fujitsu Technology Solutions GmbH