Fujitsu recommends Windows[®] 7.

Data Sheet Fujitsu LIFEBOOK T730 Tablet PC

Twist to Touch

The Fujitsu LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

Pen- or finger-based work without any restrictions

Either as notebook or Tablet PC, comfortable working in any situation.

 Bi-directional rotatable, tiltable 30.7 cm (12.1-inch) dual digitizer display with multiple touch capability

Flexible working

Increase your productivity and adapt the notebook to your particular way of work.

■ Modular bay for an optional second hard disk drive, DVD drive, Blu-ray Disc[™] combo drive or second battery

Maximum connectivity

Stay connected wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

Optional embedded 3G/UMTS with GPS, WLAN and Bluetooth

Highest Security

Protect your most valuable asset your data.

Advanced Theft Protection (Intel[®] Anti Theft & Computrace[®]), optionally integrated TPM Module and fingerprint sensor

Ergonomic working

Automatic adaption of the brightness of your display to your working environment for a longer battery runtime.

Ambient Light Sensor (ALS)







Components

Processor	Intel® Core™ i7-640M processor (2.80 GHz, 4 MB)			
	Intel® Core™ i5-560M processor (2.66 GHz, 3 MB)			
	Intel® Core™ i5-480M processor (2.66 GHz, 3 MB) *			
	Intel® Core™ i3-380M processor (2.53 GHz, 3 MB) *			
	Intel® Core™ i3-370M processor (2.40 GHz, 3 MB) *			
	*Processor only for retail, SMB, education and government			
Operating systems				
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit			
Operating system compatible	Genuine Windows Vista® Business 32-bit Genuine Windows® XP Tablet PC Edition 2005			
Operating system notes	Driver support for Microsoft [®] Windows [®] XP			
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM			
	4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM			
Base unit memory	LIFEBOOK T730			
Supported capacity RAM (max.)	8 GB			
Memory slots total	2			
Memory slot type	DIMM			
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch			
	SSD SATA, 64 GB, 2.5-inch			
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.			
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			
Hard disk notes	ShockSensor for HDD shock protection			
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.			
	Accessible capacity may vary, also depending on used software.			
WLAN (optional)	Atheros Minicard b/g/n			
	Intel® Centrino® 6200 802.11 a/b/q/n			
Wireless technologies				
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna			
WLAN notes	Import and usage according to country-specific regulations.			
3G/UMTS (optional)	Sierra Wireless Gobi 2000 (UMTS downlink speed 7.2 Mbit/s, UMTS uplink speed 5.76 Mbit/s)			
Bluetooth (optional)	Bluetooth 2.1			
Display	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 600:1, 200 cd/m			
1 /	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 500:1, 300 cd/m2			
Modular bay options	2nd battery			
	2nd hard disk drive			
	Blu-ray Disc™ Combo Drive			
	DVD Super Multi			
	Weight saver			
Base unit	LIFEBOOK T730			

General system information	
Chipset	Intel® QM57
Chipset notes	supports iAMT 6.0, vPro requires Core i5-5xx / i7 processor, Intel W-LAN & TPM module
BIOS features	BIOS Flash EPROM
bios leatures	BIOS based on Phoenix TrustedCore Notebook
Display	
Display notes	Optional Wide-View High-Brightness LED WXGA Display (for enhanced outdoor viewing) or standard LED WXGA Display
Brightness - typical	300 cd/m (high brightness display), 200 cd/m (standard display)
Contrast - typical	500
Digitizer	Dual Digitizer for pen input plus capacitive multi-touch screen
Graphics	
TFT resolution (HDMI)	up to 1920 x 1200
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
Max. resolution external display	1920 x 1200 / true color / 85 Hz
Graphics brand name	Intel® HD Graphics
Graphics features	DirectX® 10.1 support - for stunning 3D graphics and shading effects
Interfaces	
Memory card slots	1 (SD/SDHC/SDXC/MS/MSPro)
ExpressCard slots	1 (54mm supported)
SIM card slot	1 (usable only with 3G/UMTS)
USB 2.0 total	3
FireWire (IEEE1394)	1
VGA	1
НДМІ	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2
Docking connector for Port Replicator	1
Kensington Lock support	1
Wired communication	
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM
Keyboard and pointing devices	
	Spill-resistant keyboard
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
	Fingerprint sensor
	Launch keys
	Status LED
	Application buttons
	Tablet Pen Touch-screen
	Touch-screen Touchpad with two mouse buttons and ergonomic scroll sensor
Multimedia	
	On board
Audio type Audio codec	Realtek ALC269
Audio codec Audio features	
Camera	Stereo speakers, 2x internal microphones Optional: Built-in webcam, 2.0 megapixel
	סאנטוומו. סטור-ווו שבטכמווו, ב.ט ווובשמאוזכו
Power supply	10.1.1.00.10.1.1.22.0.
AC adapter	19 V / 80 W (4.22 A)

Power supply			
Rated voltage range	100 V - 240 V (AC Input)		
Rated frequency range	50 Hz - 60 Hz		
1st battery options	Li-lon battery 6-cell, 5200 mAh, 56 Wh		
	Li-lon battery 6-cell, 5800 mAh, 63 Wh		
2nd battery (optional)	Li-lon battery 6-cell, 3800 mAh, 41 Wh		
Battery features	Dynamic charge supported (rapid charge)		
Runtime 1st battery	up to 7 h		
Runtime 1st + 2nd battery	up to 11 h		
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.		
Power consumption			
Power consumption note	See white paper Energy Consumption		
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=1fc40c36-e743-4f37-8bd1-e95b89cad403		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	297 x 233 x 38.4 (without foot)		
Weight	From 1.8 kg		
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.		
Operating ambient temperature	5 - 35°C		
Operating relative humidity	20 - 85 % (running)		
	20 05 % (tolming)		
Additional Software			
Additional software (preinstalled) Additional software (optional) Additional software (included as a CD/ DVD)	Adobe Acrobat Reader Application Panel Camera Drivers & Utilities DVD (DUDVD) Microsoft® Office Starter 2010 (32-bit) Nero Essentials (burning software) EasyGuide online user documentation Tablet Button Utility Microsoft® Touch Pack for Windows® 7 Norton Internet Security (incl. Firewall) 60 days version Display Manager Security Application Panel Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software. Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Recovery DVD (Windows® 7)		
Manageability Manageability technology			
Manageability technology	DeskUpdate Driver management Intel® vPro™ technology		
Manageability software	DeskView 10.x client management including:		
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)		

Manageability			
Supported standards	WMI		
	PXE		
	BootP (made4you)		
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html		
Security			
System protection	Kensington Lock support		
Audit proof protection	Computrace [®] enabled BIOS		
	Norton Internet Security (incl. Firewall) 60 days version		
	Write protect option for the Flash EPROM		
	Control of all USB interfaces		
	Advanced Theft Protection		
	User and supervisor BIOS password		
	Optional: Trusted platform module (TPM 1.2)		
Access protection	Integrated Fingerprint Sensor		
	Hard disk password		
	SmartCase Logon+ incl. fingerprint sensor & sec	curity software	
	User and supervisor BIOS password		
Compliance			
Model	LIFEBOOK T730		
Germany	TÜV GS		
Europe	CE		
	CB		
	EN 60601-1-2:2007 evaluated for use in environment with medical application (in progress)		
	Nordic Swan		
USA/Canada	cUL		
	FCC Class B		
Global	Microsoft Operating Systems (HCT / HCL entry /	WHQL)	
	RoHS (Restriction of hazardous substances)		
	WiFi certified		
	WEEE (Waste electrical and electronic equipment)		
	ENERGY STAR [®] 5.0		
	EPEAT [®] Gold (dedicated regions)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/		
Port Replicator interfaces (optional)			
	Portreplicator\AC Adapter\EU-Cable Kit	Portreplicator\AC Adapter\GB-Cable Kit	
DC-in	1	1	
Power on switch	1	1	
Audio: headphone	1	1	
USB 2.0 total	4	4	
VGA	1	1	
DVI	1	1	
Ethernet (RJ-45)	1	1	
Kensington Lock support	1	1	
Warranty			
Standard Warranty	2 years		
Service level	Collect & Return Service / Bring-in Service (depe	ending on country)	
Maintenance and Support Services - th		· · · · · · · · · · · · · · · · · · ·	
Recommended Service	3 years, Collect and Return Service, where availa	able: On-site Service	
Spare Parts availability	5 years		

Spare Parts availability	5 years
Service Weblink	htttp://ts.fujitsu.com/Supportservice



Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)	The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.	Order Code: S26391-F794-L310
LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)	The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.	Order Code: S26391-F794-L410
2nd battery	With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket!	Order Code: S26391-F777-L200
Car / Truck / Air Adapter	People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car / truck / air adapter will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.	Order Code: S26391-F2613-L600
Microsaver® DS Ultra thin	Fujitsu Technology Solutions has security high on its list of priorities. The Kensington MicroSaver® DS Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security.	Order Code: S26361-F1650-L900
Casual Entry Backpack 15	The Casual Entry Backpack 15 is designed to fit up to 15-inch widescreen notebook. For comfort, the backpack features padded shoulder straps and a padded top handle. To stay organized, the backpack feature an interior file storage area which expands and a large zippered compartment separate from the notebook section to store books, accessories, and more. The Casual Entry Backpack 15 features extra-large storage compartments and numerous zippered pockets to store everything you need for school, work or travel.	Order Code: S26391-F1191-L165
Presenter IV Air	Do you often give presentations? Step up to the plate and enjoy full freedom of movement with the Presenter IV Air. Whether you're leafing through a presentation, drawing audience attention with the laser pointer, or navigating your files with the 2D air mouse function, you'll have everything under control.	Order Code: S26381-K440-L100

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T730, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T730, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-11-21 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html Copyright © Fujitsu Technology Solutions