

Fujitsu recommends Windows.

Data Sheet

FUJITSU Tablet STYLISTIC Q665

2 in 1 Uniting Mobility and Power

The FUJITSU Tablet STYLISTIC Q665 is a 2 in 1 that provides the perfect balance of mobility and performance. It is designed to support go-anywhere lifestyles with a fanless, compact design and a toughened glass that protects the 29.5 cm (11.6-inch) anti-glare display on hectic days. Flexible input options like keyboard, pen and touch enable you to handle your business routines most efficiently, the way you prefer. Because productivity is key, it is backed by Ultrabook™ performance, a full-day battery runtime and optional 4G/LTE, while enterprise-grade security options keep your data safe. An attachable keyboard and cradle enhance usability.



2 in 1 design

Enjoy the perfect balance between the mobility of a tablet and the performance of an Ultrabook™. Completely quiet for maximum comfort. An attachable keyboard transforms the tablet into a notebook.

- Fanless, thin and light

Flexible working

Empowers a fully digital office, from note-taking to audit-proof signatures - in tablet or notebook mode.

- Toughened, anti-glare display with pen and touch input, as well as via the keyboard.



Made for mobility

Keeps you going whenever you want and wherever you are.

- Full-day battery runtime with fast charging functionality. Combined with on-the-go connectivity like 4G/LTE with GPS, and NFC. Intel® Wireless Display support.

Powerful manageability and security

Stay in control of your device and your data, wherever you are.

- Optional embedded fingerprint sensor, SmartCard reader, contactless NFC-based SmartCard, TPM, Intel® vPro™ technology, encrypted drives and Kensington® lock slot.



Best office comfort

Enabling shared work spaces and a desktop-like experience.

- Common cradle with STYLISTIC Q555 and Q775.



Components

| | |
|---|---|
| Processor | Intel® Core™ processor M-5Y71 (1.2 GHz, up to 2.9 GHz) Intel® Core™ processor M-5Y31 (0.9 GHz, up to 2.4 GHz) Intel® Core™ processor M-5Y10c (0.8 GHz, up to 1.9 GHz) * *Processor only for retail, SMB, education and government |
| Operating systems | |
| Operating system | Windows 10 Pro (license + recovery media only) Windows 8.1 |
| Operating system compatible | Windows 7 |
| Hard disk drives (internal) | SSD SATA III, 512 GB, M.2 module, OPAL capable SSD SATA III, 256 GB, M.2 module, OPAL capable SSD SATA III, 128 GB, M.2 module, OPAL capable |
| Hard disk notes | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s) |
| Interface add on cards/components (optional) | |
| 3G/4G (optional) | UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s) LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s) |
| WLAN (optional) | Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0 Import and usage according to country-specific regulations. Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0 Import and usage according to country-specific regulations. |
| Display | 29.5 cm (11.6-inch), LED backlight, (Full HD), Glare with dual digitizer, magnesium, 1,920 x 1,080 pixel, 700:1, 352 cd/m ² |
| Multimedia | |
| Camera | Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED |

Base unit

| | |
|--------------------------------------|---|
| Base unit | STYLISTIC Q665 |
| General system information | |
| Chipset | Integrated in CPU |
| Chipset notes | Supports iAMT 10.0 Intel® vPro™ technology dependent on processor type |
| Memory slots | LPDDR3 (1600 MHz) |
| Supported capacity RAM (min.) | 4 GB |
| Supported capacity RAM (max.) | 8 GB |
| LAN | Built-in 10/100/1,000 MBit/s Intel® 218LM |
| LAN notes | vPro Intel I218LM, non-vPro Intel I218V |
| BIOS features | BIOS based on Phoenix SecureCore |
| Audio type | On board |
| Audio codec | Realtek ALC283 |
| Audio features | Built-in array microphone, 2x built-in speakers (stereo) |

S26391-K415-V100 STYLISTIC Q665

| | |
|-------------------------------|--|
| Display | 29.5 cm (11.6-inch), (Full HD), Anti-glare touchscreen, 1,920 x 1,080 pixel, 1000:1, 300 cd/m ² |
| Display notes | ISO 9241-307 - Pixel class II Viewing angle: Left/Right 89°, Top 89°, Bottom 89°, 25ms response time; Integrated ambient light sensor for automatic backlight adjustment to the working environment. |
| Sensors | 3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass |
| Aspect ratio | 16:9 |
| Brightness - typical | 300 cd/m ² |
| Contrast - typical | 1000:1 |
| Digitizer | Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen |
| Ambient light sensor | Integrated |
| Ambient light sensor notes | While enabled, the ambient light sensor automatically adjusts the display backlight |
| Viewing angle (h/v) - typical | 178°/178° |

Graphics

| | |
|-----------------------|--|
| Base unit | STYLISTIC Q665 |
| TFT resolution (HDMI) | up to 4,096 × 2,160 |
| TFT resolution (VGA) | 1,920 x 1,080 pixel |
| Graphics brand name | Intel® HD Graphics 5300 |
| Graphics features | 3 Display Support |
| Graphics notes | Shared memory depending on main memory size and operating system |

Interfaces

| | |
|-----------------------------|---|
| DC-in | 1 |
| Audio: line-out / headphone | 1 (combo port with Audio line-in) |
| Audio: line-in / microphone | 1 (combo port with Audio line-out) |
| Internal microphones | 2 (digital) |
| USB 2.0 total | 1 |
| USB 3.0 total | 1 |
| VGA | 1 (via optional cradle or optional USB conversion cable) |
| HDMI | 1 micro HDMI |
| Ethernet (RJ-45) | 1 (via optional cradle or optional USB adapter cable) |
| Memory card slots | 1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB |
| SmartCard slot | 1 (optional) |
| SIM card slot | 1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module) |

Cradle (Charging or Functional)

| | |
|-------------------------|---|
| DC-in | 1 (19V) |
| Audio: line-in | 1 |
| Audio: line-out | 1 |
| USB 2.0 total | 3 (if used with STYLISTIC Q555) |
| USB 3.0 total | 3 (if used with STYLISTIC Q775/Q665) |
| DisplayPort | 1 |
| VGA | 1 |
| Ethernet (RJ-45) | 1 (10/100/1000) |
| Kensington Lock support | 1 |
| Interface Module notes | If USB 3.0 or 2.0 is supported, is determined by the technological base of the product. |

Wireless technologies

| | |
|------------|--|
| Antennas | 2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN |
| Bluetooth | Bluetooth 4.0 LE |
| WLAN notes | Import and usage according to country-specific regulations. |

Wireless technologies

| | |
|--------------------|--|
| LTE/UMTS/GPS notes | Including GPS functionality Import and usage according to country-specific regulations. |
| NFC | optional |

Power supply

| | |
|-----------------------|---|
| AC adapter | 19 V / 65 W (3.42 A) |
| Rated voltage range | 100 V - 240 V (AC Input) |
| Rated frequency range | 50 Hz - 60 Hz |
| 1st battery | Lithium Polymer battery 3-cell, 38 Wh |
| Runtime 1st battery | Up to 11:50 h / 11:10 h (Productivity Workload MobileMark® 2014/2012) |
| Battery charging time | ~ 120 min. |

Dimensions / Weight / Environmental

| | |
|-------------------------------|--|
| Dimensions (W x D x H) | 294.8 x 192.4 x 11.9 mm (Standard Shell) / 15 mm (SmartCard Shell) mm 11.6 x 7.57 x 0.47 inch (Standard Shell) / 0.59 inch (SmartCard Shell) inch |
| Weight | from 0.753 kg |
| Weight (lbs) | from 1.66 lbs |
| Weight notes | Weight may vary depending on actual configuration (including battery pack) |
| Operating ambient temperature | Running: 5 - 35 °C; Packed -10 - 60 °C |
| Operating relative humidity | Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity) |

Compliance

| | |
|-----------------|--|
| Product | STYLISTIC Q665 |
| Germany | GS |
| Europe | CE! EN 60950 |
| Global | IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) |
| Compliance link | http://globalsp.ts.fujitsu.com/sites/certificates |

Additional Software

| | |
|------------------------------------|---|
| Additional software (preinstalled) | Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (Driver and Utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) |
| Additional software (optional) | Drivers & Utilities DVD (DUDVD) Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows® |

Manageability

| | |
|--------------------------|---|
| Manageability technology | DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU) |
| Manageability software | DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform |

Manageability

| | |
|----------------------------|---|
| DeskView components | Inventory Management BIOS Management Driver Management Security Management Alarm Management |
| Supported standards | WMI PXE BootP (made4you) |
| Manageability link | http://www.fujitsu.com/fts/manageability |

Security

| | |
|---------------------------------|--|
| Physical Security | Kensington Lock support |
| System and BIOS Security | Computrace® ready BIOS Advanced Theft Protection (Computrace® only) Optional: Trusted platform module (TPM 1.2) EraseDisk (optional) |
| User Security | Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (optional) SystemLock BIOS SmartCard security |

Warranty

| | |
|---|---|
| Warranty period | 2 years (depending on country) |
| Warranty type | Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations) |
| Warranty Terms & Conditions | http://support.ts.fujitsu.com/warranty |
| Product Support Services - the perfect extension | |
| Recommended Service | 9x5, Onsite Response Time: Next Business Day |
| Spare Parts availability | 3 years (depending on country) |
| Service Weblink | http://ts.fujitsu.com/Supportservice |

Recommended Accessories

Shoulder Strap STYLISTIC

The Fujitsu Shoulder Strap is the perfect addition to your STYLISTIC Q555, Q665, Q775, Q704 and Q584 SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC Q584 for illustration only.)

Order Code:
S26391-F1193-L13

USB to VGA Conversion Cable

The Fujitsu USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

Order Code:
S26391-F1418-L810

USB to LAN (RJ45) Conversion Cable

The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code:
S26391-F1418-L840

External Super Multi Drive



For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. Upgrade your notebook or PC with this external drive and use it wherever you are.

Order Code:
S26341-F103-L135

Slim Keyboard for STYLISTIC Q665



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's slim keyboard for the STYLISTIC Q665.

S26391-F1293-L2xx**
(**country specific version)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU STYLISTIC Q665, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU STYLISTIC Q665, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2015 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2015-09-03 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2015 Fujitsu Technology Solutions GmbH